



ANATOMY DISSECTION TABLES

SECTION ANATOMY DISSECTION TABLES

Standard Dissection Platform	2	ADA Dissection Table	16-17
Economy Dissection Platform	3	Hooded Dissection Table w/ Exhaust Chamber	18-19
Dissection Table w/ Hood	4	Height Adjustable Dissection Table w/ Exhaust Chamber	20
Hooded Dissection Table w/ Rollers	5	Hand-Crank Adjustable Dissection Table w/ Exhaust Chamber..	21
Height Adjustable Dissection Table w/ Hood	6	Raised-Sides Ventilation Hooded Dissection Table w/ Exhaust Chamber	22-23
Hand-Crank Adjustable Dissection Table w/ Hood	7	Hand Crank Adjustable Raised-Sides Ventilation Dissection Table w/ Exhaust Chamber	24-25
Immersion Dissection Table, Crank Elevation	8	Hydraulic Dissection Table w/ Exhaust Chamber	26-27
Immersion Dissection Table, Manual Elevation	9	Dual Dissecting Table Docking Station	28
Immersion Dissection Table, Foot Elevation	10-11	Wall Mounted Dissecting Table Docking Station	29
Standard Dissection Table	12-13	Accessories	30-31
Standard Dissection Table w/ Manual Height Adjustment	14		
Standard Dissection Table w/ Hydraulic Height Adjustment	15		

600019



**MODEL 600019 w/OPTIONAL PAIL
& OVER THE BODY BOOK HOLDER**

The Standard Dissection Platform is designed as an economical dissection platform for use in research laboratories and medical schools. It is fabricated from heavy gauge 304 stainless steel with a No. 4 finish

STANDARD DESIGN FEATURES

Length: 80 in./203 cm.
Height: 36 in./91 cm.
Width: 30 in./76 cm.

- All stainless steel construction
- Recessed tabletop
- 6 in./15 cm. casters, all with brake mechanism

- Units can be provided with or without drain:

600019 without drain

600019-D with drain

PLEASE DESIGNATE UPON ORDERING

All measurements in inches/**centimeters** +-

**See Page 8-20 for
pictures and descriptions
of optional accessories**


We carry Dissecting Instruments



Call for more information
(800) 410-0100

MODEL 600019 STANDARD DISSECTION PLATFORM

411 North Aerojet
Avenue Azusa, CA 91702
www.moritechmfg.com



Optional Accessories

- Stainless steel adjustable bookstand
- Stainless steel leg supports
- Stainless steel drain pail
- Drain pail holder
- Drain pail cover
- Removable stainless steel bottom shelf
- Instrument tray holder
- Stainless steel over the body book holder
- Adjustable leveling feet for stationary mounting
- Stainless steel drawer assembly



MODEL 600019-EC-60
Economy Dissection Table
For Necropsy Procedures
 Custom sizes available



MODEL 600019-EC ECONOMY DISSECTION PLATFORM

Model 600021

The Dissecting Table with (2) Section Hinged Covers is ideal for use in any university cadaver dissection course. The dissecting tables are an excellent choice that will provide maneuverability, convenient storage and assist in the control of debris. This unit features hinged covers which can be securely closed when not in use and fastened beneath the table top when opened.

STANDARD DESIGN FEATURES

Length: 87 in./221 cm.
Height/Overall: 48.25 in./123 cm.
Table height: 36 in./91 cm.
Width: 30 in./76 cm.

- All stainless steel construction
- Fabricated from heavy gauge 304 stainless steel with a No. 4 finish
- Recessed tabletop, creased toward drain for added fluid flow
- 6 in./15 cm. casters, all with brake mechanism
- Optional accessory holder (Support sockets) are located on all (4) corners to accommodate the optional bookstand, leg supports, and/or instrument tray holder
- Flip latches are provided to securely hold covers in down position
- Draw latches provided to hold hoods in closed position
- Stainless steel pail holder (pail optional)
- .75 in./1 cm. Ball Valve provided on drain for hose attachment and fluid control.


Optional Accessories

- Stainless steel adjustable bookstand
- Stainless steel leg supports
- Stainless steel drain pail
- Drain pail cover
- Instrument tray holder
- Stainless steel over the body book holder
- Stainless steel drawer
- Adjustable height options
- Full length stainless steel lower shelf
- Cover draw hood latch w/lock
- Drain hose assembly for connection to ball valve

MODEL 600021 DISSECTION TABLE WITH HOOD



600021



Model 600021-R

The 600021-R is part of the Total Roll System, smooth transfer of T3626 tray to compatible lifts and cadaver racks. The dissecting tables are an excellent choice that will provide maneuverability, convenient storage and assist in the control of debris. This unit features hinged covers which can be securely closed when not in use and fastened beneath the table top when opened.

STANDARD DESIGN FEATURES

Length: 87 in./221 cm.
Height/Overall: 48.25 in./123 cm.
Table height: 36 in./91 cm.
Width: 26.5 in./67 cm.

- (10) Maintenance free nylon rollers
- All stainless steel construction
- Fabricated from heavy gauge 304 stainless steel with a No. 4 finish
- 6 in./15 cm. casters, all with brake mechanism
- Optional accessory holder (Support sockets) are located on all (4) corners to accommodate the optional bookstand, leg supports, and/or instrument tray holder
- Flip latches are provided to securely hold covers in down position
- Draw latches provided to hold hoods in closed position
- Removable tray stop



All measurements in inches/centimeters +/-



The Total Roll Cadaver Handling System is made to alleviate manual lifting and improve workflow between compatible equipment.

Move freely and seamless from racks to carriers and lifts. Interactions between equipment is smooth and hassle free.

MODEL 600021-R HOODED DISSECTION TABLE WITH ROLLERS



MODEL 600021-A HEIGHT ADJUSTABLE DISSECTION TABLE

Model 600021-A

The Dissecting Table with (2) Section Hinged Covers is ideal for use in any university cadaver dissection course. The dissecting tables are an excellent choice that will provide maneuverability, convenient storage and assist in the control of debris. This unit features hinged covers which can be securely closed when not in use and fastened beneath the table top when opened.

STANDARD DESIGN FEATURES

Length: 87 in./221 cm.
Table Height MIN: 33 in./84 cm.
Table Height MAX: 36 in./99 cm.
Overall Height MIN: 45.25 in./115 cm.
Overall Height MAX: 53.25 in./135 cm.
Width: 30 in./76 cm.

- All stainless steel construction
- Fabricated from heavy gauge 304 stainless steel with a No. 4 finish
- Recessed tabletop, creased toward drain for added fluid flow
- 6 in./15 cm. dia. casters, all with brake mechanism
- Flip latches are provided to securely hold covers in down position
- Draw latches are provided to hold hoods in closed position
- Stainless steel pail holder (pail optional)
- .75 in./1 cm. Ball Valve provided on drain for hose attachment and fluid control
- Elevates up to 12 in./30 cm.
- Manual adjustable pin elevates up to 8"
- Support sockets are located on all (4) corners to accommodate the optional bookstand, leg supports, and/or instrument tray holder

Optional Accessories

- Stainless steel adjustable bookstand
- Stainless steel leg supports
- Stainless steel drain pail
- Drain pail cover
- Instrument tray holder
- Stainless steel over the body book holder
- Full length stainless steel lower shelf
- Cover draw hood latch w/lock
- Drain hose assembly for connection to ball valve
- Stainless steel drawer assembly
- Flexible duct connection
- Specified length required



We carry Dissecting Instruments



Call for more information
(800) 410-0100

600021-A



MODEL 600021-HC HAND-CRANK HEIGHT ADJUSTABLE DISSECTION TABLE

Model 600021-HC

The Dissecting Table with (2) Section Hinged Covers is ideal for use in any university cadaver dissection course. The dissecting tables are an excellent choice that will provide maneuverability, convenient storage and assist in the control of debris. This unit features hinged covers which can be securely closed when not in use and fastened beneath the table top when opened.

STANDARD DESIGN FEATURES

Length: 87 in./221 cm.
Table Height MIN: 33 in./84 cm.
Table Height MAX: 45 in./114 cm.
Overall Height MIN: 45.25 in./115 cm.
Overall Height MAX: 57.25 in./145 cm.
Width: 30 in./76 cm.

- All stainless steel construction
- Fabricated from heavy gauge 304 stainless steel with a No. 4 finish
- Recessed tabletop, creased toward drain for added fluid flow
- 6 in./15 cm. casters, all with brake mechanism
- Flip latches are provided to securely hold covers in down position
- Draw latch provided to hold hoods in closed position
- Stainless steel pail holder (pail optional)
- .75 in./1 cm. Ball Valve provided on drain for hose attachment and fluid control
- Hand crank mechanism elevates up to 12 in./30 cm.
- The elevation is achieved through a special hydraulic mechanism which drives (4) individual hydraulic cylinders with a weight capacity of 1,000 lbs./454 kg.
- Support sockets are located on all (4) corners to accommodate the optional bookstand, leg supports, and/or instrument tray holder



Optional Accessories

- Stainless steel adjustable bookstand
- Stainless steel leg supports
- Stainless steel drain pail
- Drain pail cover
- Instrument tray holder
- Stainless steel over the body book holder
- Full length stainless steel lower shelf
- Cover draw hood latch w/lock
- Drain hose assembly for connection to ball valve
- Stainless steel drawer assembly
- Flexible duct connection
- Specified length required



ANATOMY DISSECTION TABLES

MODEL 600022

The Immersion Table is a uniquely designed storage chamber. When not in use, the cadaver is lowered into a preservation solution and is easily raised by a hand crank lifting mechanism. The hand crank lifting mechanism protects students or personnel from injury by avoiding manual lifting. Primarily designed for use in research laboratories and medical schools.

STANDARD DESIGN FEATURES


Length: 86.375 in./219 cm.
Height Overall: 36.375 in./92 cm.
Width: 32.375 in./82 cm.

Chamber Dimensions

Length: 80 in./203 cm.
Width: 27 in./68 cm.
Depth: 15 in./38 cm.

- All stainless steel construction
- Helic weld seams and joints ground and polished to a smooth finish
- Cadaver tray fabricated for strength and easy drainage
- Stainless steel hinged hood
- 6 in./15 cm. casters, all with brake mechanism
- Support sockets are located on all (4) corners to accommodate the optional bookstand, leg supports, and/or instrument tray holder
- .75 in./1 cm. Ball Valve provided on drain for hose attachment and fluid control
- Hand crank lifting mechanism to raise cadaver without the risk of personal injury

All measurements in inches/centimeters +-



MODEL 600022-01 / 600022-02 IMMERSION DISSECTION TABLE



We carry Surgical Lights, Postmortem Thread, Headrest, SS Pans, Body Boards and much more.



Call for more information
(800) 410-0100



Optional Accessories

- Stainless steel adjustable bookstand
- Stainless steel leg supports
- Stainless steel drain pail
- Drain pail cover
- Instrument tray holder
- Drain hose assembly for connection to ball valve
- Hood latch for lock

MODEL 600022-02 IMMERSION DISSECTION TABLE, MANUAL ELEVATION

- Two-position manual lifting mechanism to raise cadaver. Support rails lock body tray in down position. Added length for increased leverage when lifting.

600022-02

MODEL 600022-01 / 600022-02 OPTIONAL FEATURES

600022-05



MODEL 600022-05

The Immersion Table is a uniquely designed storage chamber. When not in use, the cadaver is lowered into a preservation solution and is easily raised by a gas spring assisted foot elevated lifting mechanism. The foot operated lifting mechanism protects students or personnel from injury by avoiding manual lifting. Primarily designed for use in research laboratories and medical schools.

STANDARD DESIGN FEATURES

Length: 93 in./236 cm.
Height Overall: 39 in./99 cm.
Width: 30 in./76 cm.

Chamber Dimensions

Length: 78 in./198 cm.
Width: 25 in./64 cm.
Depth: 13 in./33 cm.

- All stainless steel construction
- Heliarc welded seams and joints ground and polished to a smooth finish
- Cadaver tray fabricated for strength and easy drainage
- Stainless steel hinged hood
- 8 in./20 cm. casters, all with brake mechanism
- Support sockets are located on all (4) corners to accommodate the optional bookstand, leg supports, and/or instrument tray holder
- .75 in./2 cm. Ball Valve provided on drain for hose attachment and fluid control
- Gas spring assisted foot operated lifting mechanism to raise cadaver without the risk of personal injury



All measurements in inches/centimeters +-

MODEL 600022-05 FOOT ELEVATED IMMERSION DISSECTION TABLE

Optional Accessories


- Stainless steel adjustable bookstand
- Stainless steel leg supports
- Stainless steel drain pail
- Drain pail cover
- Instrument tray holder
- Drain hose assembly for connection to ball valve
- Hood latch for lock

ANATOMY DISSECTION TABLES

MODEL 600022-05

IMMERSION DISSECTION TABLE, GAS SPRING ASSISTED FOOT ELEVATION

- Foot operated hydraulic lifting mechanism, on both ends, raises immersion tray. Automatic lock mechanism locks elevation pedals to keep tray in raised position.



Special accessory available.
This model only.



**OA-415 - OVER-THE-BODY BOOKSTAND
INSTRUMENT TRAY HOLDER**

600022-05

MODEL 600022-05 LAYOUT DRAWING & OPTIONAL FEATURES



600023

We carry Dissecting Instruments



Call for more information
(800) 410-0100

Model 600023

The standard dissection table is designed as an economical dissection platform for use in research laboratories and medical schools. It is fabricated from heavy gauge 304 stainless steel with a No. 4 finish. This unit features a recessed tabletop which is creased toward the drain for positive fluid flow.

STANDARD DESIGN FEATURES

Length: 80 in./203 cm.
Height/Overall: 36 in./91 cm.
Width: 30 in./76 cm.

- All stainless steel construction
- Recessed tabletop, creased toward drain for added fluid flow
- 6 in./15 cm. casters, all with brake mechanism
- Support sockets are located on all (4) corners to accommodate the optional bookstand, leg supports, and/or instrument tray holder
- Removable utility shelf to hold drain pail, instruments, etc.

All measurements in inches/centimeters +-

MODEL 600023 STANDARD DISSECTION TABLE



MODEL 600023-S
LEVELING FEET FOR
STATIONARY MOUNT



MODEL 600023-ATL
MANUAL HEIGHT
ADJUSTABLE TOTAL
LOCKING CASTERS

Models:

- 600023 Standard non adjustable
- 600023-A Manual height adjustable
- 600023-HC Hand crank height adjustable
- 600023-S Leveling feet for stationary mount
- 600023-ATL Adjustable height w/ total locking casters
- 600023-HC ADA

See Page 8-22 for
pictures and descriptions
of optional accessories




**MODEL 600023 STANDARD
w/OPTIONAL DRAWER**

Optional Accessories

- Stainless steel adjustable bookstand
- Stainless steel leg supports
- Stainless steel drain pail
- Drain pail cover
- Instrument tray holder
- Stainless steel over the body book holder
- Adjustable height option
- Full length stainless steel lower shelf & pail holder
- Adjustable leveling feet for stationary mount
- Stainless steel drawer assembly



600023 SHOWN WITH ACCESSORIES




MODEL 600023 LAYOUT DRAWING & OPTIONAL FEATURES



600023-A
Adjustable
Dissection Table

MODEL 600023-A DISSECTION TABLE WITH MANUAL HEIGHT ADJUSTMENT



The Dissection Table is designed as an economical dissection platform for use in research laboratories and medical schools. It is fabricated from heavy gauge 304 stainless steel with a No. 4 finish. This unit features a recessed tabletop which is creased toward the drain for positive fluid flow.

STANDARD DESIGN FEATURES

Width:30 in. / 76 cm.
Length:80 in. / 203 cm.
Height MIN:32 in. / 81 cm.
Height MAX:38 in. / 97 cm.
Design Load:500 lbs. / 226.8 kg.

- All stainless steel construction
- Recessed tabletop
- 6 inch casters, all with brake mechanism
- Support sockets are located on all four corners to accommodate the optional bookstand, leg supports, or instrument tray holder
- Removable utility shelf to hold drain pail, instruments, etc.
- Adjustable front and rear legs

OPTIONAL EQUIPMENT

- Stainless Steel Adjustable Bookstand
- Stainless Steel Leg Supports
- Stainless Steel Drain Pail
- Instrument Tray Holder

All measurements are inches/**centimeters**



MODEL 60023-HC DISSECTION TABLE WITH HYDRAULIC HEIGHT ADJUSTMENT

60023-HC


Dissection platform for use in research laboratories and medical schools. Fabricated from heavy gauge 304 stainless steel with No.4 finish. Performs well under heavy duty use.

STANDARD DESIGN FEATURES

Width: 30 in./76 cm.
Length: 80 in./203 cm.
Height: 32 in./81 cm. (Lowest)
Height: 44 in./112 cm. (Highest)
Design Load: 500 lbs./226.8 kg.

- Hand crank elevation
- Recessed tabletop, creased towards drain for added fluid flow
- Drain and hose assembly w/ball valve
- Fabricated from 1.5 in./3 cm. square .12 tubing thickness, 304 stainless steel tubing
- Top tray holder fabricated from 11 gauge, .120 thickness, 304 stainless steel sheet flanged for strength
- Stainless steel has a grained finish and all welds match adjoining surfaces
- 6in/15cm casters, all with brake mechanisms

All measurements are inches/centimeters



600023-HC-ADA



ADA Compliant

Model 600023-HC-ADA

The ADA compliant dissection table is designed to accommodate wheelchair access. An economical dissection platform for use in research laboratories and medical schools. It is fabricated from heavy gauge 304 stainless steel with a No. 4 finish. This unit features a recessed tabletop which is creased toward the drain for positive fluid flow.

See Page 8-22 for pictures and descriptions of optional accessories

STANDARD DESIGN FEATURES

Length: 80 in./203 cm.
Height/Overall: 32 in./81 cm.
Width: 30 in./76 cm.

- All stainless steel construction
- Recessed tabletop, creased toward drain for added fluid flow
- 6 in./15 cm. casters, all with brake mechanism
- Support sockets are located on all (4) corners to accommodate the optional bookstand, leg supports, and/or instrument tray holder
- ADA Compliant

All measurements in inches/centimeters +-

MODEL 600023-HC-ADA COMPLIANT DISSECTION TABLE




Optional Accessories

- Stainless steel adjustable bookstand
- Stainless steel leg supports
- Stainless steel drain pail
- Drain pail cover
- Instrument tray holder
- Stainless steel over the body book holder
- Adjustable height option
- Adjustable leveling feet for stationary mount
- Stainless steel drawer assembly




MODEL 600023-HC-ADA
raised



MODEL 600023-HC-ADA Specifications

WHEELCHAIR FOR ILLUSTRATION
PURPOSES ONLY.



ADA Compliant

MODEL 600023-HC-ADA LAYOUT DRAWING & OPTIONAL FEATURES

Model 600024

The dissection table is quickly becoming the standard for any new dissection area. Ventilation across the entire work area provides a better working environment for students by removing all odors and fumes.

STANDARD DESIGN FEATURES

Length: 86 in./218 cm.
Height table: 36 in./91 cm.
Height overall: 48.5 in./123 cm.
Width: 32 in./81 cm.

- All stainless steel construction
- Fabricated from heavy gauge 304 stainless steel with a No. 4 finish
- Removable perforated grid plate around perimeter of work surface to provide proper ventilation
- Center plenum located below work surface along entire length of table
- Easily removable stainless steel air distribution baffle to create uniform downdraft air velocity across entire work surface
- 6 in./15 cm. diameter exhaust connection at one or both ends of table
- Table drain pan to slope under plenum for easy drainage
- .75 in./1 cm. Ball Valve provided on drain for hose attachment and fluid control
- 6 in./15 cm. casters, all with brake mechanism
- Support sockets are located on all (4) corners to accommodate the optional bookstand, leg supports, and/or instrument tray holder
- Draw latch provided to hold hoods in closed position
- Stainless steel bucket holder (bucket optional)
- Flip latches are provided to securely hold covers in down position

All measurements in inches/centimeters +/-

MODEL 600024 HOODED DISSECTION TABLE WITH EXHAUST CHAMBER



We carry Surgical Lights, Postmortem Thread, Headrest, SS Pans, Body Boards and much more.




Call for more information
(800) 410-0100



600024 SHOWN WITH ACCESSORIES

Optional Accessories

- Stainless steel adjustable bookstand
- Stainless steel leg supports
- Stainless steel drain pail
- Drain pail cover
- Instrument tray holder
- Stainless steel over the body book holder
- Adjustable height options
- Full length stainless steel lower shelf
- Cover draw hood latch w/lock
- Drain hose assembly for connection to ball valve
- Stainless steel drawer assembly
- Flexible duct connection specify length required



MODEL 600024 LAYOUT DRAWING & OPTIONAL FEATURES

600024-A



Optional Features & Accessories

See page 8-26 for a full list of sink station accessories.

Model 600024-A

The dissection table is quickly becoming the standard for any new dissection area. Ventilation across the entire work area provides a better working environment for students by removing all odors and fumes. MANUAL ADJUSTMENT allows varying heights per your unique facility requirements.

STANDARD DESIGN FEATURES

Length: 86 in./218 cm.
 Table Height MIN: 33 in./84 cm.
 Table Height MAX: 39 in./99 cm.
 Overall Height MIN: 45.5 in./116 cm.
 Overall Height MAX: 53.5 in./135 cm.
 Width: 32 in./81 cm.

All measurements in inches/centimeters +-

- All stainless steel construction
- Fabricated from heavy gauge 304 stainless steel with a No. 4 finish
- Removable perforated grid plate around perimeter of work surface to provide proper ventilation
- Center plenum located below work surface along entire length of table
- Manual adjustable pin elevates up to 8"
- Weight capacity of 1,000 lbs./454 kg.
- Easily removable stainless steel air distribution baffle to create uniform downdraft air velocity across entire work surface
- 6 in./15 cm. diameter exhaust connection at one or both ends of table
- Table drain pan to slope under plenum for easy drainage
- .75 in./1 cm. Ball Valve provided on drain for hose attachment and fluid control
- 6 in./15 cm. casters, all with brake mechanism
- Optional accessory holder (Support sockets) are located on all (4) corners to accommodate the optional bookstand, leg supports, and/or instrument tray holder
- Draw latch provided to hold hoods in closed position
- Stainless steel bucket holder (bucket optional)
- Flip latches are provided to securely hold covers in down position

MODEL 600024-A HEIGHT ADJUSTABLE DISSECTION TABLE WITH EXHAUST CHAMBER

600024-HC



Optional Features & Accessories

See page 8-26 for a full list of sink station accessories.

- All stainless steel construction
- Fabricated from heavy gauge 304 stainless steel with a No. 4 finish
- Removable perforated grid plate around perimeter of work surface to provide proper ventilation
- Center plenum located below work surface along entire length of table
- Hand crank mechanism elevates up to 12 in./30 cm.
- The elevation is achieved through a special hydraulic mechanism which drives (4) individual hydraulic cylinders with a weight capacity of 1,000 lbs./454 kg.
- Easily removable stainless steel air distribution baffle to create uniform downdraft air velocity across entire work surface

- 6 in./15 cm. diameter exhaust connection at one or both ends of table
- Table drain pan to slope under plenum for easy drainage
- .75 in./1 cm. Ball Valve provided on drain for hose attachment and fluid control
- 6 in./15 cm. casters, all with brake mechanism
- Support sockets are located on all (4) corners to accommodate the optional bookstand, leg supports, and/or instrument tray holder
- Draw latch provided to hold hoods in closed position
- Stainless steel bucket holder (bucket optional)
- Flip latches are provided to securely hold covers in down position

Model 600024-HC

The dissection table is quickly becoming the standard for any new dissection area. Ventilation across the entire work area provides a better working environment for students by removing all odors and fumes. Hand crank height adjustments allow you to easily elevate working height as needed via hydraulic cylinders.

STANDARD DESIGN FEATURES

Length: 86 in./218 cm.
 Table Height MIN: 33 in./84 cm.
 Table Height MAX: 45 in./117 cm.
 Overall Height MIN: 45.5 in./116 cm.
 Overall Height MAX: 57.5 in./146 cm.
 Width: 32 in./81 cm.

All measurements in inches/centimeters +-

MODEL 600024-HC HAND-CRANK ADJUSTABLE DISSECTION TABLE WITH EXHAUST CHAMBER

Model 600024-RSV

Featuring raised sides ventilation to avoid obstructions, this unit provides ventilation across the entire work area for a better working environment for students by removing all odors and fumes. Also featuring a sliding viewport to gain exhaust chamber access

STANDARD DESIGN FEATURES

Length: 86 in./218 cm.
Height table: 36 in./91 cm.
Height overall: 48 in./122 cm.
Width: 32 in./81 cm.

- All stainless steel construction
- Fabricated from heavy gauge 304 stainless steel with a No. 4 finish
- Raised-Sides ventilation to avoid obstructions
- Removable exhaust slots around perimeter of work surface to provide proper ventilation
- Center plenum located below work surface along entire length of table
- Easily removable stainless steel air distribution baffle to create uniform downdraft air velocity across entire work surface
- 6 in./15 cm. diameter exhaust connection at one or both ends of table
- Table drain pan to slope under plenum for easy drainage
- 3/8 in./1 cm. Ball Valve provided on drain for hose attachment and fluid control
- (1) 6 in./15 cm. caster, with directional lock
- (3) 6 in./15 cm. casters, all with brake mechanism
- Support sockets are located on all (4) corners to accommodate the optional bookstand, leg supports, and/or instrument tray holde
- Draw latch provided to hold hoods in closed position
- Stainless steel bucket holder (bucket optional)
- Flip latches are provided to securely hold covers in down position

All measurements in inches/centimeters +-



Sliding Viewport



ANATOMY DISSECTION TABLES



Raised-Sides Ventilation with removable exhaust slots



MODEL 600024-RSV RAISED-SIDES VENTILATION HOODED DISSECTION TABLE WITH EXHAUST CHAMBER


We carry Surgical Lights, Postmortem Thread, Headrest, SS Pans, Body Boards and much more.



Call for more information
(800) 410-0100

Optional Accessories

- Stainless steel adjustable bookstand
- Stainless steel leg supports
- Stainless steel drain pail
- Drain pail cover
- Instrument tray holder
- Stainless steel over the body book holder
- Adjustable height options
- Cover draw hood latch w/lock
- Drain hose assembly for connection to ball valve
- Stainless steel drawer assembly
- Flexible duct connection specify length required



MODEL 600024-RSV LAYOUT DRAWING & OPTIONAL FEATURES



Model 600024-HC RSV

Featuring hand crank adjustable height and raised sides ventilation to avoid obstructions, this unit provides ventilation across the entire work area for a better working environment for students by removing all odors and fumes. Also featuring a sliding viewport to gain exhaust chamber access

STANDARD DESIGN FEATURES

Length: 86 in./218 cm.
Table Height MIN: 32 in./81 cm.
Table Height MAX: 38 in./97 cm.
Overall Height MIN: 45.5 in./116 cm.
Overall Height MAX: 57.5 in./146 cm.
Width: 32 in./81 cm.

- All stainless steel construction
- Fabricated from heavy gauge 304 stainless steel with a No. 4 finish
- Hand crank adjustable height
- Raised-Sides ventilation to avoid obstructions
- Removable exhaust slots around perimeter of work surface to provide proper ventilation
- Center plenum located below work surface along entire length of table
- Easily removable stainless steel air distribution baffle to create uniform downdraft air velocity across entire work surface
- 8 in./20 cm. diameter exhaust connection at one or both ends of table
- Table drain pan to slope under plenum for easy drainage
- Full length shelf
- 3/4 in./2 cm. Ball Valve provided on drain for hose attachment and fluid control
- Adjustable leveling feet
- Support sockets are located on all (4) corners to accommodate the optional bookstand, leg supports, and/or instrument tray holder
- Stainless steel bucket holder (bucket optional)

All measurements in inches/centimeters +/-



**Raised-Sides Ventilation
with removable exhaust slots**



**Exhaust Chamber Access
with removable panels**

MODEL 600024-HC RSV HAND CRANK ADJUSTABLE RAISED-SIDES VENTILATION DISSECTION TABLE WITH EXHAUST CHAMBER

CAUTION: TAKE SPECIAL CARE IN THE FLEXIBLE TUBING HYDRAULIC LINES. CHECK FOR LEAKING, CRACKING OR LINES THAT HAVE BEEN DETACHED WHILE OPERATING. THIS WILL RENDER THE UNIT'S CYLINDER AND/OR SYSTEM INOPERABLE.

DO NOT OVER CRANK HANDLE

Slowly rotate handle until it stops. If handle is forced, severe damage will occur to pusher block pump assembly. Over cranking of the mechanism will not be covered under warranty.



Hand Crank Adjustable Height



MAX. Height



MIN. Height


We carry Surgical Lights, Postmortem Thread, Headrest, SS Pans, Body Boards and much more.



Call for more information
(800) 410-0100

Optional Accessories

- Stainless steel adjustable bookstand
- Stainless steel leg supports
- Stainless steel drain pail
- Drain pail cover
- Instrument tray holder
- Stainless steel over the body book holder
- Adjustable height options
- Full length stainless steel lower shelf
- Cover draw hood latch w/lock
- Drain hose assembly for connection to ball valve
- Stainless steel drawer assembly
- Flexible duct connection specify length required



MODEL 600024-HC RSV LAYOUT DRAWING & OPTIONAL FEATURES



Model 600024-H

The table provides both odor removal and versatility with height adjustment for various height students. The table top and exhaust chamber are fabricated from heavy gauge 304 stainless steel with a No. 4 finish. Ventilation across the entire work area provides a better working environment for students by removing all odors and fumes.

STANDARD DESIGN FEATURES

Length: 88 in./224 cm.
Height: 34 in./86 cm. (Lowest)
Height: 47 in./119 cm. (Highest)
Width: 32 in./81 cm.

- Hydraulic base assembly provides easy height adjustment via foot pedal
- 8 in./20 cm. casters, with one location wheel lock
- Removable perforated grid plate around perimeter of work surface to provide proper ventilation
- Center plenum to be located below work surface along entire length of table
- Easily removable stainless steel air distribution baffle to create uniform downdraft air velocity across entire work surface
- 6 in./20 cm. diameter exhaust connection at one or both ends of table
- Support sockets are located on all (4) corners to accommodate the optional bookstand, leg supports, and/or instrument tray holder
- Table drain pan to slope under plenum for easy drainage
- .75 in./1 cm. Ball Valve provided on drain for hose attachment and fluid control

All measurements in inches/centimeters +-



600024-H SHOWN WITH REMOVABLE HOOD (OPTIONAL)

MODEL 600024-H HYDRAULIC DISSECTION TABLE WITH EXHAUST CHAMBER




600024-H SHOWN WITH ACCESSORIES



Optional Features & Accessories

See page 8-26 for a full list of sink station accessories.



All measurements in inches/centimeters +-

MODEL 600024-H HYDRAULIC DISSECTION TABLE WITH EXHAUST CHAMBER



Dissecting Table Docking Station

The Docking Station provides the 600024 with a place to complete any function of this versatile dissection table. Providing dual exhaust and drain connections to facilitate the functionality and cleaning of the table and subject.

STANDARD DESIGN FEATURES

Length: 54 in./137 cm.
Height table: 36 in./92 cm.
Width: 30 in./76 cm.

- All stainless steel construction
- Fabricated from heavy gauge 304 stainless steel with a No. 4 finish
- Center plenum located below work surface
- Dual exhaust and drain connections on either side of station
- Exhaust duct and drain line up directly to docking station providing an outlet for fumes and odors
- Docking station is equipped with (2) hand spray assemblies
- (2) Drain connections on either side.
- (2) Faucets with lever handles
- 6 in./15 cm. Diameter exhaust connection


Optional Accessories

- Foot operated faucet control for hot and cold water
- 1/2, 3/4, 1hp Commercial disposer
- .75 in./2 cm. Ball valve provided on drain for hose attachment and fluid control.
- Available in 316 Stainless Steel

Available for all Models in series:

600024 Standard non adjustable
600024-A-Manual height adjustable
600024-HC-Hand crank height adjustable
600024-H Hydraulic lift

See Page 8-20 for pictures and descriptions of optional accessories



All measurements in inches/centimeters +-

DUAL DISSECTION TABLE DOCKING STATION



Dissecting Table Docking Station

The Docking Station provides the 600024 with a place to complete any function of this versatile dissection table. Providing exhaust and drain connections to facilitate the functionality and cleaning of the table and subject.

STANDARD DESIGN FEATURES

Length: 54 in./137 cm.
Height table: 36 in./91 cm.
Width: 30 in./73.5 cm.

- All stainless steel construction
- Fabricated from heavy gauge 304 stainless steel with a No. 4 finish
- Center plenum located below work surface
- Exhaust duct and drain line up directly to docking station providing an outlet for fumes and odors
- Docking station is equipped with hand spray assembly
- (1) Faucet with lever handles
- 6 in./15 cm. Diameter exhaust connection
- .75 in./2 cm. Ball valve provided on drain for hose attachment and fluid control

Optional Accessories

- Foot operated faucet control for hot and cold water
- 1/2, 3/4, 1hp Commercial disposer
- Available in 316 Stainless Steel



WALL MOUNTED DOCKING STATION

ANATOMY DISSECTION TABLES

OA-402 - STAINLESS STEEL LEG SUPPORTS

Units are fabricated entirely of stainless steel. The "U" shaped leg supports can be swiveled. They feature a locking knob at the pole base to hold the support pole in position. The pole is designed to be placed at any corner of the table. All dissection tables come equipped with support sockets to accept the leg support pole.

STAINLESS STEEL
LEG SUPPORTS



OA-405 - STAINLESS STEEL INSTRUMENT TRAY

Units are fabricated entirely of stainless steel. They feature a locking knob at the pole base and at the rear of the instrument tray which allows the pole to be locked in a variety of positions. The pole is designed to be placed at any corner of the table. All dissection tables come equipped with support sockets to accept the instrument tray pole. The instrument tray is removable to carry instrument to different location and for easy cleaning.

STAINLESS STEEL
INSTRUMENT TRAY



OA-408 - HOOD LATCH FOR LOCK

Stainless steel hinge latch lock mechanism can be provided for added security as well as prevention of accidents.


HOOD LATCH FOR LOCK



OA-401 - STAINLESS STEEL OVER THE BODY BOOK HOLDER

Stainless steel book holder carries (2) books -one per side and the top can hold other miscellaneous items.

STAINLESS STEEL OVER THE BODY BOOK HOLDER



OA-400 - STAINLESS STEEL BOOK HOLDER

Stainless steel book holder supports literature for ease of viewing. They feature a locking knob at the pole base to hold the support pole in position. The pole is designed to be placed at any corner of the table. All dissection tables come equipped with support sockets to accept the leg support pole.

STAINLESS
STEEL
BOOK HOLDER



OA-403 - DRAIN PAIL COVER

Specially fitted cover to contain waste and debris. Allows drain hose assembly and ball valve to connect via tubing directly to the drain pail.

DRAIN PAIL COVER



LW250, LW251 - STAINLESS STEEL DRAIN PAIL

Stainless steel pails can be provided to accept table drainage. All tables come equipped with some mounting area for the pails. Mounting types include: lower shelves, hook on underside of table or drop-in-pail holders. Type of table will determine which type of holder can be used.

LW250 - 11.6 in./29 cm. D. x 9.25 in./

23 cm. H, 12 L. capacity.

LW251 - 11.75 in./30 cm. D. x 10.125 in./

23 cm. H, 16 L. capacity.



STAINLESS STEEL DRAIN PAIL

OA-409 - STAINLESS STEEL DRAWER

ASSEMBLY - All stainless steel construction. Drawer heads are thick double pan construction with an insulated core. Drawers have internal stops to prevent accidental withdrawal. Drawers are equipped with full extension, ball bearing suspensions, with a capacity load of 100 lbs./45 kg. per drawer.



STAINLESS STEEL DRAWER ASSEMBLY

OA-407 - REMOVABLE SHELF with PAIL

HOLDER - Stainless steel drop-in pail holder.



REMOVABLE SHELF
with PAIL HOLDER

Pictured accessories may differ depending on your unit and other optional accessories. Not all accessories available for all models. Please review the model's standard features to ensure accuracy of specifications.

OPTIONAL DISSECTION TABLE FEATURES

ANATOMY DISSECTION TABLES

Pictured accessories may differ depending on your unit and other optional accessories. Not all accessories available for all models. Please review the model's standard features to ensure accuracy of specifications.

OA-413 - CHEMICAL COLLECTION BOTTLE

5 Gallon chemical resistant bottle held in place with stainless steel bottle holder. Also features a quick release hose for easy replacement.



OA-413-I - FORMALIN SYSTEM - INTERNAL FRAME

5 Gallon chemical resistant bottle held in place with stainless steel bottle holder. Also features a quick release hose for easy replacement.



FORMALIN SYSTEM - INTERNAL FRAME

OA-413-E - FORMALIN SYSTEM - EXTERNAL FRAME

5 Gallon chemical resistant bottle held in place with stainless steel bottle holder. Also features a quick release hose for easy replacement.



FORMALIN SYSTEM - EXTERNAL FRAME



OA-166 - SINGLE TABLET MOUNT

Spring loaded cradle expands and contracts to fit most tablets. Securely holds with exceptional range of motion.

We carry Surgical Lights, Postmortem Thread, Headrest, SS Pans, Body Boards and much more.

We carry Dissecting Instruments



Call for more information (800) 410-0100

OPTIONAL FEATURES
& ACCESSORIES

OPTIONAL DISSECTION TABLE FEATURES