



LABORATORY INSTRUMENTS



LABORATORY INSTRUMENTS

Scalpel Blades/Blade Remover	2	Micro Instruments	14
Scalpel Handles/Disposable Scalpels	3	Specialty Forceps.....	15
BladeFLASK	4	Bone, Rib Cutters/Shears	16
Super Cut Scissors	5	Bone Saws/Rib Cutters/Gigli Saw.....	17
Carb-N-Sert Scissors.....	6	Chisels/Osteotomes	18
Operating Scissors.....	7	Dissecting Knives	19
Specialty Scissors.....	8	Skull Breakers/Postmortem Hammer	20
Iris/Enterotomy/Dubois Scissors.....	9	Hypodermic Needles/Tenaculum/Probes.....	21
General Use & Adson Forceps/ Tissue Forceps.....	10	Postmortem Needles/Thread.....	22
Rochester-Pear/Ochsner Forceps.....	11	Embalmg Instruments	23-24
Halsted-Mosquito/Kelly Forceps.....	12	Knife, Scissor Sharpeners	25
Tissue Forceps	13	Instrument Care Supplies	26

BLADE SAFE



SURGICAL BLADES
ECONOMY & PREMIUM
GRADE AVAILABLE

SURGICAL BLADES

Individually sealed in foil peel packs. 100 packs to a dispenser box and sterilized with gamma radiation (2.5M rads).

CARBON STEEL - STERILE

Model #	Description
M4-110	Blade size 10
M4-111	Blade size 11
M4-112	Blade size 12
M4-115	Blade size 15
M4-120	Blade size 20
M4-121	Blade size 21
M4-122	Blade size 22
M4-123	Blade size 23
M4-112B	Blade size 12B
M4-115C	Blade size 15C

STAINLESS STEEL - STERILE

Order No.	Description
M4-310	Blade size 10
M4-311	Blade size 11
M4-312	Blade size 12
M4-315	Blade size 15
M4-320	Blade size 20
M4-321	Blade size 21
M4-322	Blade size 22
M4-323	Blade size 23
M4-312B	Blade size 12B
M4-315C	Blade size 15C


SCALPEL SAFE

Order No. M4-100
An instrument for the safe removal of scalpel blades from handles.

- Protects against cuts
- Stainless Steel Construction
- Autoclavable
- Easy to use
- Economically priced

SCALPEL HANDLES & DISPOSABLE SCALPELS

M4-410 M4-411 M4-412 M4-415 M4-420 M4-421 M4-422 M4-423



DISPOSABLE SCALPELS

Single-use scalpels are pre-assembled: stainless steel surgical blades mounted on plastic handles with fluted finger grips. The scalpel blade is safely protected by an easy pull-off cover. Each sterile scalpel is sealed in a peel apart see through package. Ten scalpels are packaged per box.

Model #	Blade Size
M4-410	10
M4-411	11
M4-412	12
M4-415	15
M4-420	20
M4-421	21
M4-422	22
M4-423	23
M4-425	25

DISPOSABLE THUMB SCALPELS

By using a disposable thumb scalpel in place of a surgical blade (by fitting the blade on a reusable handle) it reduces - and even prevents the incidences of injuries that can occur during the process of fitting or removing contaminated blades from handles. 100 per box

Model #	Blade Size
MAS9401	Specify upon order

LABORATORY INSTRUMENTS

M4-7 M4-8 M4-10 M4-11



SCALPEL HANDLES

M4-7
Model # (Handle) Blade sizes
No. 3 (5 in./12 cm.) 10-15

M4-8
Model # (Handle) Blade sizes
No. 4 (5.5 in./13 cm.) 20-23,25

M4-10
Model # (Handle) Blade sizes
No. 3L, deep cutting 10-15
(8.25 in./20 cm.)

M4-11
Model # (Handle) Blade sizes
No. 4L, deep cutting 20-23,25
(8.75 in./22 cm.)

All handles are stainless steel and available in premium & standard grade

All measurements in inches/centimeters

CLICKSMART® BLADEFLASK

100 SCALPEL BLADE REMOVAL SYSTEM

A simply safer way of removing blades.

Remove, contain and dispose of used blades without the unacceptable sharps injury risk of two-handed removal techniques involving fingers, forceps or re-sheathing.

Applications

BladeFLASK single-handed scalpel blade remover can be used anywhere scalpel removal is required, including:

- Hospital departments
- General practice
- Podiatry/Chiropody
- Design Studios
- Education
- Veterinary
- Dental clinics
- Pathology laboratories
- Mortuaries
- ...and wherever
scalpels are used



No Fingers X



No Forceps X



No Resheathing X



No Injury ✓



Wall Mount Bracket
sold separately



CLICKSMART BLADEFLASK - LW110

100 Scalpel Blade Removal System

Clicksmart Bladeflask
(case of 12) - LW110-C

Counter display window



Auto shut-off to prevent overfilling

BladeFLASK has a built-in counter with a shut-off mechanism that activates automatically after 100 blades have been removed.



WALL MOUNT BRACKET - LW111

- BladeFLASK can be mounted on a wall or on a trolley or bench
- Ideally located near the site of scalpel use or clean -up area
- Mount bracket as near as practical to elbow height for safe use

WALL MOUNT BRACKET

Sold Separately

MAYO DISSECTING SCISSORS
M5-SC-120



OPERATING SCISSORS
M5-SC-16



IRIS SCISSORS
M5-SC-304



METZENBAUM SCISSORS
M5-SC-283



MAYO DISSECTING SCISSORS
M5-SC-122



OPERATING SCISSORS
M5-SC-46



IRIS SCISSORS
M5-SC-306



METZENBAUM SCISSORS
M5-SC-284



MAYO DISSECTING SCISSORS

Model #	Size	Curvature Style
M5-SC-120	5.5/14	Straight
M5-SC-122	5.5/14	Curved
M5-SC-124	6.75/17	Straight
M5-SC-126	6.75/17	Curved
M5-SC-128	9/22	Straight
M5-SC-130	9/22	Curved
OPERATING SCISSORS		
M5-SC-16	5.5/14	Straight

M5-SC-46	5.5/14	Curved
IRIS SCISSORS		
Model #	Size	Curvature Style
M5-SC-304	4.5/11	Straight
M5-SC-306	4.5/11	Curved
METZENBAUM SCISSORS		
M5-SC-283	4.5/11	*Straight
M5-SC-284	4.5/11	*Curved
M5-SC-180	5.5/14	Curved
M5-SC-182	7/17	Curved
M5-SC-188	9/22	Curved

*Delicate
All scissors are made from stainless steel
All measurements in inches/centimeters

SUPERCUT SCISSORS

CARB-N-SERT SCISSORS



OPERATING
SCISSORS
M5-6TC



METZENBAUM
SCISSORS
M5-179TC



MAYO
DISSECTING
SCISSORS
M5-120TC



OPERATING
SCISSORS
M5-16TC



METZENBAUM
SCISSORS
M5-181A-TC



IRIS SCISSORS
M5-304TC



METZENBAUM
SCISSORS
M5-179A-TC

OUR TOP QUALITY LINE OF SCISSORS

Tungsten carbide blades are bonded to the finest quality stainless steel surgical scissors, then ground and honed on diamond wheels.

- Precision screws are fully tempered to keep scissors in perfect alignment
- Scissor shanks are tempered to permit proper flexibility
- Finger rings are well-rounded for better feel and to prevent fatigue


Carb-N-Sert scissors will rarely require sharpening. Though the cost is high, the Carb-N-Sert scissors last longer than other scissors, thus saves money in the long run.



RAZOR SHARP EDGE



MICRO FINE SERRATIONS



TUNGSTEN CARBIDE INSERT SEAMLESS
BONDED & FINISHED

IRIS SCISSORS

Model #	Size	Curvature Style	Blade Edge
M5-304TC	4.5/11	Straight	
M5-306TC	4.5/11	Curved	

MAYO DISSECTING SCISSORS

M5-120TC	5.5/14	Straight	
M5-122TC	5.5/14	Curved	
M5-124TC	6.75/17	Straight	
M5-126TC	6.75/17	Curved	
M5-128TC	9/22	Straight	
M5-130TC	9/22	Curved	

OPERATING SCISSORS

M5-6TC	5.5/14	Straight	Sharp / Sharp
M5-36TC	5.5/14	Curved	Sharp / Sharp
M5-16TC	5.5/14	Straight	Sharp / Blunt
M5-46TC	5.5/14	Curved	Sharp / Blunt
M5-26TC	5.5/14	Straight	Blunt / Blunt
M5-56TC	5.5/14	Curved	Blunt / Blunt

METZENBAUM SCISSORS, DELICATE

Model #	Size	Curvature Style	Blade Edge
M5-179A-TC	5.5/14	Straight	Blunt
M5-180A-TC	5.5/14	Curved	Blunt
M5-179B-TC	5.5/14	Straight	Straight
M5-180B-TC	5.5/14	Curved	Straight
M5-181A-TC	7/17	Straight	Blunt
M5-182A-TC	7/17	Curved	Blunt
M5-181B-TC	7/17	Straight	Straight
M5-182B-TC	7/17	Curved	Straight
M5-187TC	9/22	Straight	Blunt
M5-189TC	9/22	Curved	Blunt


METZENBAUM SCISSORS

M5-179TC	5.5/14	Straight	Blunt
M5-180TC	5.5/14	Curved	Blunt
M5-181TC	7/17	Straight	Blunt
M5-182TC	7/17	Curved	Blunt
M5-186TC	9/22	Straight	Blunt
M5-188TC	9/22	Curved	Blunt

All scissors are made from stainless steel
All measurements in inches/**centimeters**

OPERATING SCISSORS

LABORATORY INSTRUMENTS



OPERATING SCISSORS

MODEL #	SIZE	CURVATURE STYLE	BLADE EDGE
M95-12	4.5/ 11	Straight	Sharp / Blunt
M95-16	5.5/ 14	Straight	Sharp / Blunt
M95-18	6.5/ 16	Straight	Sharp / Blunt
M95-32	4.5/ 11	Curved	Sharp / Sharp
M95-36	5.5/ 14	Curved	Sharp / Sharp
M95-38	6.5/ 16	Curved	Sharp / Sharp
M95-2	4.5/ 11	Straight	Sharp / Sharp
M95-6	5.5/ 14	Straight	Sharp / Sharp
M95-8	6.5/ 16	Straight	Sharp / Sharp
M95-42	4.5/ 11	Curved	Sharp / Blunt
M95-46	5.5/ 14	Curved	Sharp / Blunt
M95-48	6.5/ 16	Curved	Sharp / Blunt
M95-22	4.5/ 11	Straight	Blunt / Blunt
M95-26	5.5/ 14	Straight	Blunt / Blunt
M95-28	6.5/ 16	Straight	Blunt / Blunt
M95-52	4.5/ 11	Curved	Blunt / Blunt
M95-56	5.5/ 14	Curved	Blunt / Blunt
M95-58	6.5/ 16	Curved	Blunt / Blunt

OPERATING SCISSORS (PREMIUM)


MODEL #	SIZE	CURVATURE STYLE	BLADE EDGE
M5-12	4.5/ 11	Straight	Sharp / Blunt
M5-16	5.5/ 14	Straight	Sharp / Blunt
M5-18	6.5/ 16	Straight	Sharp / Blunt
M5-32	4.5/ 11	Curved	Sharp / Sharp
M5-36	5.5/ 14	Curved	Sharp / Sharp
M5-38	6.5/ 16	Curved	Sharp / Sharp
M5-2	4.5/ 11	Straight	Sharp / Sharp
M5-6	5.5/ 14	Straight	Sharp / Sharp
M5-8	6.5/ 16	Straight	Sharp / Sharp
M5-42	4.5/ 11	Curved	Sharp / Blunt
M5-46	5.5/ 14	Curved	Sharp / Blunt
M5-48	6.5/ 16	Curved	Sharp / Blunt
M5-22	4.5/ 11	Straight	Blunt / Blunt
M5-26	5.5/ 14	Straight	Blunt / Blunt
M5-28	6.5/ 16	Straight	Blunt / Blunt
M5-52	4.5/ 11	Curved	Blunt / Blunt
M5-56	5.5/ 14	Curved	Blunt / Blunt
M5-58	6.5/ 16	Curved	Blunt / Blunt

All scissors are made from stainless steel
All measurements in inches/**centimeters**

DOYEN ABDOMINAL SCISSORS			
MODEL #	SIZE	CURVATURE STYLE	PREMIUM
M95-160	7/17	Straight	
M5-160	7/17	Straight	Premium
M95-162	7/17	Curved	
M5-162	7/17	Curved	Premium
M95-500	3.5/8	Angled	
M95-502	4.5/11	Angled	
M95-504	5.5/14	Angled	
M95-506	7.25/18	Angled	
M5-510	3.5/8	Angled	Premium
M5-512	4.5/11	Angled	Premium
M5-514	5.5/14	Angled	Premium
M5-516	7.25/18	Angled	Premium
METZENBAUM SCISSORS			
M95-179	5.5/14	Straight	
M95-181	7/17	Straight	
M95-186	9/22	Straight	
M5-179	5.5/14	Straight	Premium
M5-181	7/17	Straight	Premium
M5-186	9/22	Straight	Premium
MAYO DISSECTING SCISSORS			
M95-120	5.5/14	Straight	
M95-124	6.75/17	Straight	
M95-128	9/22	Straight	
M5-120	5.5/14	Straight	Premium
M5-124	6.75/17	Straight	Premium
M5-128	9/22	Straight	Premium
MAYO DISSECTING SCISSORS			
M95-122	5.5/14	Curved	
M95-126	6.75/17	Curved	
M95-130	9/22	Curved	
M5-122	5.5/14	Curved	Premium
M5-126	6.75/17	Curved	Premium
M5-130	9/22	Curved	Premium

All scissors are made from stainless steel
All measurements in inches/**centimeters**

SPECIALTY SCISSORS



IRIS, ENTEROTOMY, & DUBOIS

DUBOIS SCISSORS



IRIS SCISSORS,
CURVED



IRIS SCISSORS,
ANGLED



IRIS SCISSORS,
STRAIGHT



ENTEROTOMY SCISSORS,
w/HOOK



DUBOIS SCISSORS			
MODEL #	SIZE	CURVATURE STYLE	PREMIUM
M930-2605	10.5/26	Straight	
M30-2605	10.5/26	Straight	Premium
ENTEROTOMY			
M934-98	8.25/21	Straight	
M34-98	8.25/21	Straight	Premium

All scissors are made from stainless steel
All measurements in inches/**centimeters**

IRIS SCISSORS			
MODEL #	SIZE	CURVATURE STYLE	PREMIUM
M95-306	4.5/11	Curved	
M5-306	4.5/11	Curved	Premium
M95-308	4.5/11	Angled	
M5-308	4.5/11	Angle	Premium
M95-304	4.5/11	Straight	
M5-304	4.5/11	Straight	Premium

GENERAL USE & ADSON DRESSING/TISSUE FORCEPS



ADSON TISSUE FORCEPS
1 X 2 TEETH

ADSON DRESSING FORCEPS

DRESSING FORCEPS SERRATED

For convenient storing,
try our Forcep Jars



Call for more information
(800) 410-0100

GENERAL USE DRESSING FORCEPS, SERRATED

STANDARD		PREMIUM	
Model #.	Size	Model #	Size
M96-4	4.5/11	M6-4	4.5/11
M96-6	5/12	M6-6	5/12
M96-8	5.5/14	M6-8	5.5/14
M96-10	6/15	M6-10	6/15
M96-14	8/20	M6-14	8/20
M96-16	10/25	M6-16	10/25
M96-18	12/30	M6-18	12/30

All forceps are made from stainless steel
All measurements in inches/**centimeters**


ADSON DRESSING FORCEPS

STANDARD		PREMIUM	
Model #	Size	Order No.	Size
M96-118	4.75/12	M6-118	4.75/12

ADSON DRESSING FORCEPS, 1x2 teeth

STANDARD		PREMIUM	
Model #	Size	Order No.	Size
M96-120	4.75/12	M6-120	4.75/12

ROCHESTER-PEAN & OSCHNER FORCEPS



ROCHESTER-PEAN FORCEPS, CURVED

STANDARD		PREMIUM	
Model #	Size	Order No.	Size
M97-136	5.5/14	M7-136	5.5/14
M97-138	6.25/15	M7-138	6.25/15
M97-140	7.25/18	M7-140	7.25/18
M97-142	8/20	M7-142	8/20
M97-144	8.75/22	M7-144	8.75/22
M97-146	10.25/26	M7-146	10.25/26

ROCHESTER-PEAN FORCEPS, STRAIGHT

STANDARD		PREMIUM	
Model #	Size	Model No.	Size
M97-118	5.5/14	M7-118	5.5/14
M97-120	6.25/15	M7-120	6.25/15
M97-122	7.25/18	M7-122	7.25/18
M97-124	8/20	M7-124	8/20
M97-126	8.75/22	M7-126	8.75/22
M97-128	10.25/26	M7-128	10.25/26


ROCHESTER-OSCHNER FORCEPS, CURVED, 1X2 TEETH

STANDARD		PREMIUM	
Model #	Size	Model No.	Size
M97-160	6.25/15	M7-160	6.25/15
M97-162	7.25/18	M7-162	7.25/18
M97-164	8/20	M7-164	8/20
M97-166	9/22	M7-166	9/22
M97-167	10/25	M7-167	10/25


ROCHESTER-OSCHNER FORCEPS, STRAIGHT, 1X2 TEETH

STANDARD		PREMIUM	
Model #	Size	Model No.	Size
M97-150	6.25/15	M7-150	6.25/15
M97-152	7.25/18	M7-152	7.25/18
M97-154	8/20	M7-154	8/20
M97-156	9/22	M7-156	9/22
M97-157	10/25	M7-157	10/25

HALSTED-MOSQUITO
& KELLY FORCEPS



We carry Sterilization Trays for cleaning your instruments



Call for More Information
(800) 410-0100

HALSTED MOSQUITO FORCEPS,
CURVED

STANDARD		PREMIUM	
Model #	Size	Model #	Size
M97-4	5/12	M7-4	5/12

HALSTED MOSQUITO FORCEPS,
STRAIGHT

STANDARD		PREMIUM	
Model #	Size	Model #	Size
M97-2	5/12	M7-2	5/12

KELLY-FORCEPS,
CURVED

STANDARD		PREMIUM	
Model #	Size	Model #	Size
M97-38	5.5/14	M7-38	5.5/14


KELLY-FORCEPS,
STRAIGHT

STANDARD		PREMIUM	
Model #	Size	Model #	Size
M97-36	5.5/14	M7-36	5.5/14

All forceps are made from stainless steel
All measurements in inches/**centimeters**

DISSECTING INSTRUMENTS

TISSUE FORCEPS



1 X 2 TEETH

2 X 3 TEETH

3 X 4 TEETH

4 X 5 TEETH



All forceps are made from stainless steel
All measurements in inches/**centimeters**

TISSUE FORCEPS, 1x2 TEETH			
STANDARD		PREMIUM	
Model #	Size	Model #	Size
M96-40	4.5/ 11	M6-40	4.5/ 11
M96-42	5/ 12	M6-42	5/ 12
M96-44	5.5/ 14	M6-44	5.5/ 14
M96-46	6/ 15	M6-46	6/ 15
M96-48	8/ 20	M6-48	8/ 20
M96-50	10/ 25	M6-50	10/ 25
M96-52	12/ 30	M6-52	12/ 30
TISSUE FORCEPS, 2x3 TEETH			
M96-62	5/ 12	M6-62	5/ 12
M96-64	5.5/ 14	M6-64	5.5/ 14
M96-66	6/ 15	M6-66	6/ 15
TISSUE FORCEPS, 3x4 TEETH			
M96-72	5/ 12	M6-72	5/ 12
M96-74	5.5/ 14	M6-74	5.5/ 14
M96-76	6/ 15	M6-76	6/ 15
TISSUE FORCEPS, 4x5 TEETH			
M96-82	5/ 12	M6-82	5/ 12
M96-84	5.5/ 14	M6-84	5.5/ 14
M96-86	6/ 15	M6-86	6/ 15

You may also need
Surgical Gloves



Call for More Information
(800) 410-0100



BONN SCISSORS,
straight, with 15 mm blades

STANDARD		PREMIUM	
Model #	Size	Model #	Size
M918-1392	.. 3.5/8	M18-1392	3.5/8

STEVENS SCISSORS,
straight, short blades, sharp points

STANDARD		PREMIUM	
Model #	Size	Model #	Size
M918-1477	. 3.75/9 ..	M18-1477	3.75/9
M918-1460	4.125/10	M18-1460	.4.125/10

**FINE POINT
NEEDLE HOLDERS**

STANDARD		PREMIUM	
Model #	Size	Model #	Size
M98-20	 4.25/10	M8-20	4.25/10
M98-42	 5/12	M8-42	5/12

**MICRO FINE
VANNAS SCISSORS**

straight, ultra-fine blades

STANDARD		PREMIUM	
Model #	Size	Model #	Size
M918-1626	. 3.25/8 ...	M18-1626	3.25/8
M918-1618	 4/10	M18-1618	4/10

MICRO FORCEPS

Model #	Description	Size
M17-301	Style 1, fine	4.75/12
M17-302	Style 2, strong	4.75/12
M17-305	Style 5, super fine	4.375/11
M17-306	Style 6, pick-up.....	6 4.5/11
M17-307	Style 7, fine cvd	4.5/11

All forceps and scissors are made from stainless steel
All measurements in inches/centimeters

IRIS FORCEPS,
STRAIGHT



IRIS FORCEPS,
CURVED



DURA STRIP
FORCEPS



BROWN ADSON



RUSSIAN TISSUE



**IRIS FORCEPS,
STRAIGHT, 1x2 TEETH**

STANDARD		PREMIUM	
Model #	Size	Model #	Size
M918-786	.. 4/10.....	M18-786	4/10

**IRIS FORCEPS,
CURVED, 1x2 TEETH**

STANDARD		PREMIUM	
Model #	Size	Model #	Size
M918-790	.. 4/10.....	M18-790	4/10

**DURA STRIP FORCEPS,
Model M927-1446**

8.5 INCH

**BROWN ADSON,
7x7 TEETH**

STANDARD		PREMIUM	
Model #	Size	Model #	Size
M96-124	.. 4.75/12	M6-124	4.75/12


**RUSSIAN TISSUE,
12 x 12 TEETH**

STANDARD		PREMIUM	
Model #	Size	Model #	Size
M96-142	... 6/15.....	M6-142	6/15
M96-144	... 8/20.....	M6-144	8/20
M96-145	... 10/25.....	M6-145	10/25

All forceps are made from stainless steel
All measurements in inches/**centimeters**

SPECIALTY FORCEPS

BONE/RIB CUTTERS & SHEARS



COUNCILMAN RIB SHEARS

PLAIN BONE SHEARS

RIB SHEARS

GLUCK RIB SHEARS

LISTON BONE CUTTING FORCEPS

LISTON BONE CUTTING FORCEPS ANGLED

LISTON BONE CUTTING FORCEPS, STRAIGHT

Model #	Size		
M927-1390	5.5 in./14		
M927-1392	7.5 in./19		
M927-1394	8.5 in./21		
M927-1396	10 in./25		

LISTON BONE CUTTING FORCEPS, ANGLED

Model #	Size		
M927-1400	5.5 in./14		
M927-1402	7.5 in./19		
M927-1404	8.5 in./21		
M927-1406	10 in./25		

COUNCILMAN RIB SHEAR

Model #	Size		
M927-1444	15 in./38		

PLAIN BONE SHEARS

Model #	Size		
M925-356	9 in./22	2 in./5 cm. jaws	

RIB SHEARS

Model #	Size		
M925-358	9.5 in./24	plain curved, screw lock	

GLUCK RIB SHEARS

Model #	Size		
M925-360	8.5 in./21	semi-box eccentric lock.	

All measurements in inches/centimeterst
All forceps and shears are standard grade

BONE SAWS, RIB CUTTERS & GIGLI SAWS

LABORATORY INSTRUMENTS

SATTERLEE BONE SAW



METACARPAL SAW



ROUNDED BONE SAW



RIB CUTTING KNIFE M927-1556



RIB CUTTING KNIFE M927-1555



GIGLI SAW

GIGLI SAW
HANDLE



SATTERLEE BONE SAW M927-1560

12 in./30 cm. long, 9 in./22 cm. long blade,
stainless steel, Standard grade

ROUNDED BONE SAW M927-1565

12 in./30 cm. long, 8.5 in./21 cm. long
blade, stainless steel, Standard grade

METACARPEL SAW M927-1550

9.25 in./23 cm. long, blade 4.5 in./11 cm.
long, stainless steel, Standard grade

All instruments are standard grade
All measurements in inches/centimeters

RIB CUTTING KNIFE M927-1555

40mm cutting edge, 200mm long,
stainless steel, Standard grade

RIB CUTTING KNIFE M927-1556

25mm cutting edge, 200mm long,
stainless steel, Standard grade

GIGLI-STRLLY HANDLE M26-122


Gigli-strully handle, T-shape, turnable,
stainless, with snap lock, Premium grade

GIGLI SAW M26-130

Gigli saw, 12 in./30 cm., standard twisted
wire type.

GIGLI SAW M26-132

Gigli saw, 20 in./50 cm., standard twisted
wire type.



US ARMY CHISEL

Model #	Size
M927-260	6.5 in./16, 6mm wide
M927-262	6.5 in./16, 12 mm wide
M927-264	6.5 in./16, 18 mm wide

US ARMY OSTEOTOME

Model #	Size
M927-270	6.5 in./16, 6 mm wide
M927-272	6.5 in./16, 12 mm wide
M927-274	6.5 in./16, 18 mm wide

LAMBOTTE OSTEOTOME, STRAIGHT

Model #	Size
M927-488	9 in./22, 6 mm wide
M927-490	9 in./22, 13 mm wide
M927-492	9 in./22, 19 mm wide
M927-494	9 in./22, 25 mm wide
M927-496	9 in./22, 32 mm wide
M927-498	9 in./22, 38 mm wide

All instruments are standard grade

All measurements in inches/centimeters

LAMBOTTE OSTEOTOME, CURVED

Model #	Size
M927-499	9 in./22, 6 mm wide
M27-500	9 in./22, 13 mm wide
M27-502	9 in./22, 19 mm wide
M27-504	9 in./22, 25 mm wide
M27-506	9 in./22, 32 mm wide
M27-508	9 in./22, 38 mm wide

BRUNETTI CHISEL

Model #	Size
M927-3460	11.25 in./28, right hand
M927-3462	11.25 in./28 cm. long, left hand

DISSECTING KNIVES



DOUBLE EDGE POSTMORTEM KNIFE M932-3382 M932-3380

Flexible stainless steel blade, flat ground

Model #	Blade size
M932-3382	9.8/25 cm. long x 4 cm. wide
M932-3380	7/18 cm. long x 2.5 cm. wide

STANDARD DISSECTING KNIVES

Flat tapered ground with full back thickness for maximum strength, ribbed easy to clean handles and stainless steel construction.

Model #	Blade size
M932-3330	25 cm. long x 1.5 cm. wide
M932-3332	15 cm. long x 1.5 cm. wide
M932-3334	9 cm. long x 1.5 cm. wide

Complete Set

Order No. - M932-3335

Model #	Blade size
M932-3336	25 cm. long x 2 cm. wide
M932-3338	20 cm. long x 2 cm. wide
M932-3340	15 cm. long x 2 cm. wide

Complete Set

Order No.- M932-3341



MACRO KNIVES

PREPARATION MACRO-KNIVES DISPOSABLE

A disposable blade and integral non-slip handle for autopsy and grossing. May be stropped for longer lasting edge. Each box contains 10 knives..

Model # (10 per box)	Blade size
M5008	8 in./20 cm. blade
M5012	12 in./30 cm. blade

LABORATORY INSTRUMENTS



W5614-8

W5610-12


W5627-14GE

KNIVES

A fully forged high-carbon stainless blade. White Handle contains built in anti-microbial protection.

Model #	Blade size
W5613-8	8 in./20 cm. blade
W5614-8	8 in./20 cm. blade
W5610-8	8 in./20 cm. blade
W5610-12	12 in./30 cm. blade
W5627-14GE	14 in./36 cm. blade

SKULL BREAKERS & POSTMORTEM HAMMERS



COUNCILMAN CHISEL



POSTMORTEM HAMMER M934-220

9.5 in./24 cm. long, with hook handle

VIRCHOW SKULL BREAKER M934-210

3 in./7 cm. long handle,
wide blade 1/2 in./1 cm.

BONE MALLET M934-224

9.25 in./24 cm. long, stainless steel

All measurements in inches/centimeters

COUNCILMAN CHISEL M927-3480

6.75 in./17 cm. long,
2 in./5 cm. cutting edge

We also carry
equipment to help keep
Razor Sharp Edges



Call for more information
(800) 410-0100

HYPODERMIC NEEDLES, TENACULUM & PROBES



HYPODERMIC NEEDLES



PROBE WITH EYE



PROBES-DOUBLE ENDED



GROOVE DIRECTOR w/PROBE



DISSECTING TENACULUM



(side view)

ALLIS DRY DISSECTOR

HYPODERMIC NEEDLES

Stainless steel, long lasting piercing points,
Luer Hubs

Model #	Description
M912-11	20 Ga. x 1.5 in./3 cm. long
M912-12	20 Ga. x 2.5 in./6 cm. long
M912-13	19 Ga. x 3 in./7 cm. long
M912-14	15 Ga. x 3.5 in./8 cm. long
M912-15	15 Ga. x 4 in./10 cm. long
M912-16	15 Ga. x 5 in./12 cm. long
M912-17	15 Ga. x 6 in./15 cm. long
M912-24	13 Ga. x 4.5 in./11 cm. long
M912-18	13 Ga. x 8 in./20 cm. long
M912-19	13 Ga. x 10 in./25 cm. long
M912-20	12 Ga. x 3 in./7 cm. long
M912-21	12 Ga. x 4 in./10 cm. long
M912-22	12 Ga. x 5 in./12 cm. long
M912-23	12 Ga. x 6 in./15 cm. long

All measurements in inches/centimeters

DISSECTING TENACULUM M934-250

Stainless steel, sharp point, 6.5 in./16 cm.

ALLIS DRY DISSECTOR M934-270

Stainless steel, double-ended, 6 in./15 cm.

DOUBLE-ENDED PROBES, M910-10 to M910-14

Malleable, stainless steel in lengths of:

Model #	Size (in./cm.)
M910-10	7 in. /17 cm.
M910-12	8 in. /20 cm.
M910-14	10 in. /25 cm.

PROBE WITH EYE M910-30 to M910-34

Malleable, stainless steel in lengths of:


Model #	Size (in./cm.)
M910-30	7 in./17 cm.
M910-32	8 in./20 cm.
M910-34	10 in./25 cm.

GROOVE DIRECTOR w/PROBE M928-100

Stainless steel length of:

Model #	Size (in./cm.)
M928-100	6 in. /15.25 cm.

POSTMORTEM
THREAD



**POSTMORTEM NEEDLES,
DOUBLE-CURVED**

Packaged in lots of 12

Model #	Size
M1295-1	No.1
M1295-2	No.2
M1295-3	No.3
M1295-4	No.4
M1295-5	No.5

**POSTMORTEM NEEDLES,
HALF-CURVED**

Packaged in lots of 12

Model #	Size
M1291-1	No.1
M1291-2	No.2
M1291-3	No.3
M1291-4	No.4
M1291-5	No.5

**POSTMORTEM THREAD
Model PMT1450**

Model #: 5/C-554 (5 Cord)
white nylon thread bonded,
4 ounce spool (Waxed)

**Model PMT1455W(White nylon)
Model PMT1455B(Brown nylon)**

Model #: 5/C-346 (5 Cord)
white or brown nylon thread bonded,
1 pound spool (Waxed)

**POSTMORTEM NEEDLES
& THREAD**

Standard Large Trocar

Working Length: 18 in./45 cm.
Diameter: 5/16 in./0.79375 cm.

Infant Trocar

Working Length: 12 in./30 cm.
Diameter: 3/16 in./0.47625 cm.



Cavity Chemical Injector

Overall Length:6.25 in./16 cm.

The use of this injector for cavity fluids minimizes the fumes when injecting the cavities. It is leakproof under all conditions and fits any standard threaded fluid bottle.



Trocar Button Applicator

Overall Length: 4 in./10 cm.

Glass Hydrosight

Overall Length: 2.75 in./7 cm., 2 in. dia.

All measurements in inches/centimeters



EMBALMING INSTRUMENTS

LABORATORY INSTRUMENTS



Super Drain Suction Tube
Model # Description
M786-133/8 dia. x 13" overall length
M786-145/16 dia. x 13.25 overall length

Arterial Tubes Slip Hub Curved
Model # Description
M786-73/16" dia. x 4" working length
M786-81/8" dia. x 4" working length
M786-93/32" dia. x 4" working length

Stub Carotid 1/4" Slip Hub
Model # Description
M786-103/32" dia. x 4" working length

Nasal Aspirator
Model # Description
M786-158.5" overall length

All measurements in inches/*centimeters*

EMBALMING INSTRUMENTS

KNIFE & SCISSOR SHARPENERS



KNIFE SHARPENER

SCISSOR SHARPENER

You may also need
Surgical Instruments



Call for more information
(800) 410-0100

KNIFE SHARPENER Model LW5120

Width:4 in./10 cm.
Length:8 in./20 cm.
Height:4 in./10 cm.

A three-step process produces blades that will be considered better than razor sharp. The first step will be for sharpening, the second for honing and the last step for stropping and polishing. The 100% diamond abrasives will never distemper your quality knives. For straight and serrated edges. Voltage is ~110V

OPTIONAL FEATURES

Transformers are available for
~230V usage

SCISSOR SHARPENER Model LW5500

Width:4 in./10 cm.
Length:8 in./20 cm.
Height:4 in./10 cm.

A two step process will provide incredibly sharp scissors. A coarse first step for reconditioning damaged and extremely dull edges and a fine second step for sharpening and honing the finished edge. 100% diamond abrasives provide superior results. Voltage is ~110V

All measurements in inches/



INSTRUMENT CARE SYSTEM

INSTRUMENT CARE SUPPLIES

SPRAY LUBE M3-700

8 oz/.2 liter bottles, pre-mixed non silicone water soluble formula in convenient pump spray bottles, lubricates all moving parts on surgical instruments. (Case of 12)

INSTRUMENT CLEANER M3-720

8 oz/.2 liter bottles, neutral pH formula for use in ultrasonic or manual cleaning of surgical instruments, glassware, plastic, metal or rubber goods. One bottle = 32 gallons/121 liters of solution. (Case of 12)

STAIN REMOVER M3-740

3 oz jars, special powder formula removes stains and tarnish; restores luster to surgical instruments, autoclaves, ultrasonic cleaners, stainless steel countertops, trays and stands (Case of 12)

INSTRUMENT CARE BRUSH M3-1000

7.25 in./18 cm., Instrument cleaning brush, nylon bristles that are designed to clean instruments without scratching or harming delicate surfaces. (Set of 3)

INSTRUMENT CLEANING BRUSH M3-1001

7.25 in./18 cm., stainless steel bristles, designed to clean instruments serrations, rasps, files and burs. (Set of 3)

INSTRUMENT CARE SYSTEM M3-800

Kits include one bottle of spray lube, instrument cleaner and stain remover, one nylon brush and one stainless steel brush and video.

INSTRUMENT HOLDER LW5100

Stores and organizes instruments. All stainless steel constructed with 304 steel. #4 satin finish. Etched logo on the base of the holder.

