

Stationary Pedestal Autopsy Table2-3
Pedestal Autopsy Table Adjustable Height 4-5
Stationary Pedestal Autopsy Table with Split Rollers 6-7
Stationary Pedestal Autopsy Table with Metal Rollers 7
"L" Shaped Autopsy Table
"L" Shaped Autopsy Table Adjustable Height 10-11
"L" Shaped Autopsy Table Independently Height Adjustable
Pedestal Autopsy Table Side Loading Independently Height Adjustable
Pedestal Autopsy Table Elevating & Rotating 16-17

Standard Autopsy Table	18-19
Autopsy Table with Rollers	20-21
Autopsy Table Side Loading with Rollers	22-23
Dissecting Cart	24
Podostal Autoney Tablo Accessories	25-26



MODEL 1036-41 STATIONARY PEDESTAL AUTOPSY TABLE



STANDARD DESIGN FEATURES

 Width:
 .32 in./81 cm.

 Length:
 104 in./264 cm.

 Height:
 .35 in./88 cm.

- All Type 304 stainless steel construction with a polished No. 4 finish
 Heliarc-welded seams and joints, ground and polished to match adjoining surfaces

- adjoining surfaces
 Radii on all inside and outside corners
 for easy cleaning
 (3) Solid or perforated stainless steel
 body supports, 8 in./20 cm. wide
 Removable access panel
 GFCI duplex receptacle w/ waterproof cover
 Plumbing and electrical lines factory
 installed and require only single point
 connection at the project location
 Backflow protection for all plumbing
 fixtures to prevent backflow of
 contaminated water
 Deluxe hydro-aspirator with reverse
 flow, cold water control valve and
 10 ft./3 m. of hose

- Spray hose assembly with cold water control valve, nozzle, 10 ft./3 m. of

- flexible hose

 Mixing faucet with gooseneck spout and wrist blade handles

 Heavy-duty commercial waste disposer, 1/2 hp and switch

 Large single compartment sink basin, 14 in./35 cm. x 12 in./30 cm. x 8 in./20 cm. Depth

 Rapid and positive drainage

We carry Surgical Lights, Postmortem Thread, Headrest, SS Pans, Body Boards and much more..



Call for more information (800) 410-0100





TOTAL DOWNDRAFT VENTILATION **ASSEMBLY (OPTIONAL)**

DOUBLE-CONE DOWNDRAFT VENTILATION ASSEMBLY (OPTIONAL)


Optional Accessories

- Heavy-duty commercial disposer (1/2, 1 or 2 hp)
- Total downdraft ventilation assembly
- Double cone downdraft ventilation assembly
- Table end rinse with cold water control valve
- 3 sided rinse assembly
- Type 316 stainless steel
- CO₂ valves/vacuum valves/ compressed air valves
- Postmortem scale with scale pole and bracket
- Headrest
- Emergency eye wash
- Full length stainless steel body supports
- Over-the-body dissecting tray
- Removable ruler 78 in./198 cm.
- Custom sizes available
- ~220V/50-60hz electrical upon request

Options based on available space

When planning an order, we will assist you in selecting options to complete your system. Please feel free to contact us.

Custom layout and designs are available.



All measurements in inches/centimeters +-

MODEL 1036-41 LAYOUT DRAWING & OPTIONAL FEATURES



STANDARD DESIGN FEATURES

 Width:
 32 in./81 cm.

 Length:
 104 in./264 cm.

 Height:
 32 to 38 in./81 to 96 cm.

- All Type 304 stainless steel construction with a polished No. 4 finish
- Heliarc-welded seams and joints, ground and polished to match adjoining surfaces
- Radii on all inside and outside corners for easy cleaning
- Height adjustment via electro hydraulic mechanism
- (3) Solid or perforated stainless steel body supports, 8 in./20 cm. wide
- Removable access panel
- GFCI duplex receptacle w/waterproof cover
- Plumbing and electrical lines factory installed and require only single point connection at the project location
- Backflow protection for all plumbing fixtures to prevent backflow of contaminated water
- Deluxe hydro-aspirator with reverse flow, cold water control valve and 10 ft./3 m. of hose
- Spray hose assembly with cold water control valve, nozzle, 10 ft./3 m. of flexible hose
- Mixing faucet with gooseneck spout and wrist blade handles
- Heavy-duty commercial waste disposer, 1/2 hp and switch
- Large single compartment sink basin, 14 in./35 cm. x 12 in./30 cm. x 8 in./20 cm. Depth
- Rapid and positive drainage

All measurements in inches/centimeters +-



MODEL 1036-41-A PEDESTAL AUTOPSY TABLE ADJUSTABLE HEIGHT



TOTAL DOWNDRAFT VENTILATION ASSEMBLY (OPTIONAL)

DOUBLE-CONE DOWNDRAFT VENTILATION ASSEMBLY (OPTIONAL)


Optional Accessories

- Heavy-duty commercial disposer (1/2, 1 or 2 hp)
- Postmortem scale with scale pole
- Total downdraft ventilation assembly
- Double cone downdraft ventilation assembly
- Table end rinse with cold water control valve
- Table perimeter rinse with cold water control valve
- 3 sided rinse assembly
- CO₂ valves/vacuum valves/ compressed air valves
- Emergency eye wash
- Full length stainless steel body supports
- Over-the-body dissecting tray
- Headrest
- Type 316 stainless steel
- Removable ruler 78 in./198 cm.
- Custom sizes available
- $\sim 220 \text{V}/50-60 \text{hz}$ electrical upon request

Options based on available space

When planning an order, we will assist you in selecting options to complete your system. Please feel free to contact us.

Custom layout and designs are available.



All measurements in inches/centimeters +-

MODEL 1036-41-A LAYOUT DRAWING & OPTIONAL FEATURES



- Featuring split rollers to allow for drainage
 Raised side ventilation exhaust with removable plates
 All Type 304 stainless steel construction with a posleded reagen and injust.
- Heliarc-welded seams and joints, ground and polished to match
- adjoining surfaces

 Radii on all inside and outside corners for easy cleaning
- Removable access panel
 GFCI duplex receptacle w/ waterproof cover
 Plumbing and electrical lines factory
- installed and require only single point connection at the project location Backflow protection for all plumbing fixtures to prevent backflow of
- contaminated water

- Deluxe hydro-aspirator with reverse flow, cold water control valve and 10 ft./3 m. of hose
- Spray hose assembly with cold water control valve, nozzle, 10 ft./3 m. of flexible hose
- Mixing faucet with gooseneck spout and wrist blade handles
- Heavy-duty commercial waste disposer, 1/2 hp and switch
- Large single compartment sink basin, 14 in./35 cm. x 12 in./30 cm. x 8 in./20 cm. Depth
- Rapid and positive drainage

All measurements in inches/centimeters +-



Split Rollers










Large single compartment sink basin,





STANDARD DESIGN FEATURES

Autopsy lable		
Width:	30 in./76	cm
Length:		cm
Height:		
•		

Dissection Wing Width:

Width:	24 in./60 cm.
Length:	86 in./218 cm.
Height:	36 in./91 cm.

- All Type 304 stainless steel construction with a polished No. 4 finish
- Heliarc-welded seams and joints, ground and polished to match adjoining surfaces
- Radii on all inside and outside corners for easy cleaning

- Full length perforated dissection grids for autopsy table
- Removable access panel
- GFCI duplex receptacle w/waterproof cover
- Plumbing and electrical lines factory installed and require only single point connection at the project location
- Backflow protection for all plumbing fixtures to prevent backflow of contaminated water
- Deluxe hydro-aspirator with reverse flow, cold water control valve and 10 ft./3 m. of hose
- Spray hose assembly with cold water control valve, nozzle, 10 ft./3 m. of flexible hose

411 North Aerojet Avenue Azusa, CA 91702 www.mortechmfg.com

- Mixing faucet with gooseneck spout and wrist blade handles
- Heavy-duty commercial waste disposer, 1/2 hp and switch
- Large single compartment sink
- Tabletop is sloped toward sink basin for rapid and positive drainage

Left hand or right hand configurations is determined by autopsy table location.

Custom layout and designs are available.

All measurements in inches/centimeters

MODEL 1036-19 "L" SHAPED AUTOPSY TABLE





TOTAL DOWNDRAFT VENTILATION ASSEMBLY (OPTIONAL)


DOUBLE-CONE DOWNDRAFT VENTILATION ASSEMBLY (OPTIONAL)

Optional Accessories

- Heavy-duty commercial disposer (1/2, 1 or 2 hp)
- Postmortem scale with scale pole
- Total downdraft ventilation assembly
- Double cone downdraft ventilation assembly
- Adjustable heights via electro hydraulic mechanism
- Table end rinse with cold water control valve for autopsy and dissecting areas
- 3 sided rinse assembly with cold water control valve for autopsy and dissecting areas
- CO₂ valves/vacuum valves/ compressed air valves
- Emergency eye wash
- Full length stainless steel body supports
- Over-the-body dissecting tray
- Headrest
- Type 316 stainless steel
- Removable ruler 78 in./198 cm.
- Custom sizes and layouts available
- Backsplashes are available
- \sim 220V/50-60hz electrical upon request

Options based on available space

When planning an order, we will assist you in selecting options to complete your system. Please feel free to contact us.



All measurements in inches/centimeters +-

LAYOUT DRAWING & OPTIONAL FEATURES



LEFT HAND OR RIGHT HAND CONFIGURATIONS IS **DETERMINED BY AUTOPSY TABLE LOCATION.**

STANDARD DESIGN FEATURES

Autopsy Table

Width:	30 in./76	cm.
Length:	106 in./269	cm.
Height:	32 to 38 in./81 to 96	cm.

Dissection Wing

Width:	24 in./60 cm.
Length:	90 in./228 cm.
Height: 32 to 38 i	n./81 to 96 cm.

- All Type 304 stainless steel construction with a polished No. 4 finish
 Heliarc-welded seams and joints, ground and polished to match adjoining surfaces
 Radii on all inside and outside corpors for each cleaning.
- corners for easy cleaning
 Full length perforated dissection grids
 for autopsy table
 Removable access panel
 GFCI duplex receptacle with waterproof

- Plumbing and electrical lines factory installed and require only single point connection at the project location
- Backflow protection for all plumbing fixtures to prevent backflow of contaminated water
 Deluxe hydro-aspirator with reverse flow, cold water control valve and 10 ft./3 m. of hose
 Sprry hase assembly with cold water
- Spray hose assembly with cold water control valve, nozzle, 10 ft./3 m. of flexible hose
- Mixing faucet with gooseneck spout and wrist blade handles

- Heavy-duty commercial waste disposer, 1/2 hp and switch
 Large single compartment sink
 Tabletop is sloped toward sink basin for rapid and positive drainage
 Height adjustable via electro hydraulic
- mechanism



Optional Accessories

- Heavy-duty commercial disposer (1/2, 1 or 2 hp)
- Postmortem scale with scale pole
- Total downdraft ventilation assembly
- Double cone downdraft ventilation assembly
- Adjustable heights via electro hydraulic mechanism

 • Table end rinse with cold water
- control valve for autopsy and dissecting areas
- 3 sided rinse assembly with cold water control valve for autopsy and dissecting areas
- CO₂ valves/vacuum valves/ compressed air valves
- Emergency eye wash
- Full length stainless steel body supports
 Over-the-body dissecting tray
- Headrest
- Type 316 stainless steelRemovable ruler 78 in./198 cm.
- Custom sizes and layouts available
- Backsplashes are available
- ~220V/50-60hz electrical upon request




TOTAL DOWNDRAFT VENTILATION ASSEMBLY (OPTIONAL)

DOUBLE-CONE DOWNDRAFT VENTILATION ASSEMBLY (OPTIONAL)

Options based on available space

When planning an order, we will assist you in selecting options to complete your system. Please feel free to contact us.

Custom layout and designs are available.





STANDARD DESIGN FEATURES

Autopsy Table

 Width:
 30 in./76 cm.

 Length:
 106 in./269 cm.

 Height:
 32 to 38 in./81 to 96 cm.

Dissection Wing

 Width:
 24 in./60 cm.

 Length:
 60 in./153 cm.

 Height:
 32 to 38 in./81 to 96 cm.

All measurements in inches/centimeters +-

- All Type 304 stainless steel construction with a polished No. 4 finish

 • Heliarc-welded seams and joints,
- ground and polished to match adjoining surfaces
- Radii on all inside and outside corners for easy cleaning
- Full length perforated dissection grids for autopsy table Removable access panel
- GFCI duplex receptacle w/waterproof
- Plumbing and electrical lines factory installed and require only single point connection at the project location

- Backflow protection for all plumbing fixtures to prevent backflow of contaminated water
- Deluxe hydro-aspirator with reverse flow, cold water control valve and
- Spray hose assembly with cold water control valve, nozzle, 10 ft./3 m. of flexible hose
- Mixing faucet with gooseneck spout and wrist blade handles
- Heavy-duty commercial waste disposer, 1/2 hp and switch
- Large single compartment sink
 Tabletop is sloped toward sink basin for rapid and positive drainage
- Each wing independently height adjustable via electro hydraulic mechanism
- Side-loading rollers option also available (see following unit)

LEFT HAND OR RIGHT HAND CONFIGURATIONS IS DETERMINED BY AUTOPSY TABLE LOCATION.









Optional Accessories

- Heavy-duty commercial disposer (1/2, 1 or 2 hp)
- Postmortem scale with scale pole
- Total downdraft ventilation assembly
- Double cone downdraft ventilation assembly
- Adjustable heights via electro hydraulic mechanism
- Table end rinse with cold water control valve for autopsy and dissecting areas
- 3 sided rinse assembly with cold water control valve for autopsy and dissecting areas
- CO₂ valves/vacuum valves/ compressed air valves
- Emergency eye wash
- Full length stainless steel body supports
- Over-the-body dissecting tray
- Headrest
- Type 316 stainless steel
- Removable ruler 78 in./198 cm.
- Custom sizes and layouts available
- Backsplashes are available
- ~220V/50-60hz electrical upon request




TOTAL DOWNDRAFT VENTILATION ASSEMBLY (OPTIONAL)

DOUBLE-CONE DOWNDRAFT VENTILATION ASSEMBLY (OPTIONAL)

Options based on available space

When planning an order, we will assist you in selecting options to complete your system. Please feel free to contact us.

Custom layout and designs are available.



MODEL 1036-19A SL PEDESTAL AUTOPSY TABLE SIDE LOADING INDEPENDENTLY HEIGHT ADJUSTABLE

LEFT HAND OR RIGHT HAND CONFIGURATIONS IS DETERMINED BY AUTOPSY TABLE LOCATION.

STANDARD DESIGN FEATURES

Autopsy Table

 Width:
 28 in./71 cm.

 Length:
 106 in./269 cm.

 Height:
 36 to 42 in./92 to 107 cm.

- Featuring side loading capabilities on
- reduting side localing capabilities of autopsy wing
 All Type 304 stainless steel construction with a polished No. 4 finish
 Heliarc-welded seams and joints, ground and polished to match adjoining surfaces
- Radii on all inside and outside corners for easy cleaning

- Full length perforated dissection grids for autopsy table Removable access panels
- GFCI duplex receptacle with waterproof cover
- Plumbing and electrical lines factory installed and require only single point connection at the project location Backflow protection for all plumbing fixtures to prevent backflow of
- contaminated water
- Deluxe hydro-aspirator with reverse flow, cold water control valve and 10 ft./3 m. of hose

- Spray hose assembly with cold water control valve, nozzle, 10 ft./3 m. of flexible hose

- Mixing faucet with gooseneck spout and wrist blade handles
 Heavy-duty commercial waste disposer, 1/2 hp and switch
 Large single compartment sink
 Tabletop is sloped toward sink basin for rapid and positive drained
- Each wing independently height adjustable via electro hydraulic mechanism





Optional Accessories

- Heavy-duty commercial disposer (1/2, 1 or 2 hp)
 Postmortem scale with scale pole
- Table end rinse with cold water control valve for autopsy and dissecting areas
- 3 sided rinse assembly with cold water control valve for autopsy and dissecting areas
- CO₂ valves/vacuum valves/ compressed air valves
- Emergency eye wash
- Full length stainless steel body supports
- Over-the-body dissecting tray
- Headrest
- Type 316 stainless steel
- Removable ruler 78 in./198 cm.
- Custom sizes and layouts available
- Backsplashes are available
- ~220V/50-60hz electrical upon request

Options based on available space

When planning an order, we will assist you in selecting options to complete your system. Please feel free to contact us.

are available.









HOT / COLD










Tray Toggle Clamp



MODEL 1036-48 PEDESTAL AUTOPSY TABLE ELEVATING & ROTATING




STANDARD DESIGN FEATURES

Width:34 in./86 cm.


- All Type 304 stainless steel construction with a polished No. 4 finish
- Heliarc-welded seams and joints, ground and polished to match adjoining surfaces
- Radii on all inside and outside corners for easy cleaning
- Top rotates manually 180° degrees in either direction and features a convenient swivel lock handle
- Large bearing assembly for easy rotation
- (4) solid (standard) or (4) perforated (available) stainless steel body supports, 8 in./20 cm. wide
- GFCI duplex receptacle w/waterproof cover

- Plumbing and electrical lines factory installed and require only single point connection at the project location

 • Backflow protection for all plumbing
- fixtures to prevent backflow of contaminated water
- Deluxe hydro-aspirator with reverse flow, cold water control valve and 10 ft./3 m. of hose
- Spray hose assembly with cold water control valve, nozzle, 10 ft./3 m. of flexible hose
- Mixing faucet with gooseneck spout and wrist blade handles
- Rapid and positive drainage toward drain at center of table



Call for more information (800) 410-0100





MANUAL ROTATION LOCK

Optional Accessories

- Emergency eye wash Full length stainless steel body supports Over-the-body dissecting tray

- Type 316 stainless steel

 CO₂ valves/vacuum valves/
 compressed air valves

 Removable ruler 78 in./198 cm.

 Rotating non elevating unit available

 ~220V/50-60hz electrical upon request

Options based on available space

When planning an order, we will assist you in selecting options to complete your system. Please feel free to contact us.

Custom layout and designs are available.



See page 6-25 for a full list of sink station accessories

STANDARD DESIGN FEATURES

 Width:
 .33 in./83 cm.

 Length:
 .101 in./256 cm.

 Height:
 .34 in./86 cm.





- No. 4 finish
 Heliarc-welded seams and joints, ground and polished to match
- adjoining surfacesRadii on all inside and outside corners for easy cleaning
- Removable lower shelf
- Stainless steel leg assembly w/adjustable leveling feet
- (3) Solid or perforated stainless steel body supports, 8 in./20 cm. wide

- GFCI duplex receptacle w/ waterproof cover
- Plumbing and electrical lines factory installed and require only single point connection at the project location
- Deluxe hydro-aspirator with reverse flow and backflow protection, cold water control valve and 10 ft./3 m. of hose
 Spray hose assembly with cold water
- Spray hose assembly with cold water control valve, nozzle, 10 ft./3 m. of flexible hose and backflow protection
- Large sink basin with lever handle drain



We Carry Surgical Glove and Saws



Call for more information (800) 410-0100

REMOVABLE SINK DRAIN COVER



CO, /COMPRESSED AIR/ VACUUM VALVES

PEDESTAL AUTOPSY TABLES


Optional Accessories

- Heavy-duty commercial disposer (1/2, 1 or 2 hp) replaces waste control lever handle
- Postmortem scale with scale pole
- Table end rinse with cold water control valve and backflow protection
- CO₂ valves/vacuum valves/ compressed air valves
- Aspirator bottle collection system
- Emergency eye wash
- Full length stainless steel body supports
- Over-the-body dissecting tray
- **Headrest**
- Type 316 stainless steel Stainless storage cabinet below table Removable ruler 78 in./198 cm.
- Full length lower shelf
- Custom sizes available
- ~220V/50-60hz electrical upon request

Options based on available space

When planning an order, we will assist you in selecting options to complete your system. Please feel free to contact us.

Custom layout and designs are available.



All measurements in inches/centimeters +-

MODEL 1036-24 LAYOUT DRAWING & OPTIONAL FEATURES





Width:33 in./83 cm. **Length:**101 in./256 cm. **Height:**34 in./86 cm.

- All Type 304 stainless steel construction with a polished No. 4 finish
- Heliarc-welded seams and joints, ground and polished to match adjoining surfaces
- Radii on all inside and outside corners for easy cleaning
- Roller frame assembly with (10) maintenance free nylon rollers

- Roller frame designed to accept our Model T3626-HS Standard Body Tray
- Adjustable leveling feet with mounting holes
 GFCI duplex receptacle w/waterproof cover
- Plumbing and electrical lines factory installed and require only single point
- connection at the project location Backflow protection for all plumbing fixtures to prevent backflow of
- contaminated water
- Deluxe hydro-aspirator with reverse flow, cold water control valve and 10 ft./3 m. of hose
- Spray hose assembly with cold water control valve, nozzle, 10 ft./3 m. of flexible hose and backflow protection
- Mixing faucet with gooseneck spout and wrist blade handles
- Large sink basin with lever handle drain

All measurements in inches/centimeters +-

MODEL 1036-28 AUTOPSY TABLE with ROLLERS

20 (626) 334-1471





REMOVABLE LOWER SHELF

31 / 79

GFCI DUPLEX RECEPTACLE W/ WATER PROOF COVERS

HAND SPRAY ASSEMBLY

W/ FLEXIBLE HOSE



- adjoining surfaces
- adjoining surfaces
 Radii on all inside and outside corners for easy cleaning
 Roller frame assembly with (10) maintenance free nylon rollers
 Roller frame designed to accept our Model T3626-HS Standard Body Tray
 Adjustable leveling feet with mounting holes
 GFCI duplex receptacle w/waterproof cover
 Plumbing and electrical lines factory installed and require only single point

- installed and require only single point
- connection at the project location
 Backflow protection for all plumbing
 fixtures to prevent backflow of contaminated water
- Deluxe hydro-aspirator with reverse flow, cold water control valve and
- Spray hose assembly with cold water control valve, nozzle, 10 ft./3 m. of flexible hose and backflow protection
- Mixing faucet with gooseneck spout and wrist blade handles
 Large sink basin with lever handle drain







All measurements in inches/centimeters +-

MODEL 1036-28 SL AUTOPSY TABLE SIDE LOADING with ROLLERS



22











Optional Accessories

- Heavy-duty commercial disposer (1/2, 1 or 2 hp)
- Postmortem scale with scale pole CO₂ valves / vacuum valves/ compressed air valves
- Emergency eye wash Headrest

- Headrest
 Dissection Board
 Instrument Dissecting Tray
 Full length lower shelf
 Type 316 stainless steel
 ~220V/50-60hz electrical upon request





(626) 334-1471



LC-50 - 1/2 HP HEAVY DUTY COMMERCIAL DISPOSER Standard on most sinks. Variable power options. Available in 1/2, 1 or 2 HP.



SS-100, SS-200 - HEAVY DUTY COMMERCIAL DISPOSER Variable power options. Available in 1 or 2 HP.



LW411 - SCALE POLE AND MOUNTING BRACKET For use with standard hanging autopsy scale. Pole can swivel left and right, and includes locking knob.



OA-300 - TABLE END RINSE ASSEMBLY Washes debris towards sink basin controlled by cold water valve or hands free control with back flow prevention.



OA-301 - THREE SIDED RINSE ASSEMBLY

Provides a rinse to gently wash debris and

non-viable material away from the work area.

OA-101-DM - COMPRESSED AIR VALVE All brass with chrome plated finish. Deck Mounted. Visually marked for type of function required.



OA-102-DM - VACUUM VALVES
All brass with chrome plated finish. Deck
Mounted. Visually marked for type of
function required.



OA-100-DM - CO2/NATURAL GAS VALVES
All brass with chrome plated finish. Deck
Mounted. Visually marked for type of
function required.



OA-111 - EMERGENCY EYEWASH / HOSE ASSEMBLY Hand controlled spray to provide a gentle flow of water to rinse eyes of foreign debris.



OA-112 - EYEWASH / FAUCET ASSEMBLY
Deck Mounted Eye wash for hands free
eye wash or can be removed for use as
a drench hose for eye, face, or body use
coverage.



OA-113 - EYEWASH - FLIP DOWN STYLE Wall mounted polished chrome-plated brass single action pull down activated eye/face wash.



OA-305 - FULL PERFORATED GRID PLATES



DD - DOWNDRAFT VENTILATION ASSEMBLY - CONE




TD - TOTAL DOWNDRAFT VENTILATION ASSEMBLY



LW485 - EVIDENCE SCREEN Designed to prevent evidence from being washed down drain. Fabricated from perforated stainless steel. For use in 3.5 in. diameter drains.



OA-125-24, OA-504-48, OA-302-78 - REMOVABLE MEASURING RULER Available in 24 .in, 48 .in. and 78 .in. Provides a convenient measuring device, easily accessed and mounted in plain sight.



LW390 - HEADREST (LW390A - available in aluminum)




LW379A - RAISED DISSECTING PLATFORM Manufactured from high density polyethylene Stainless steel construction. Heavy gauge with adjustable legs. Provides an excellent cutting surface. Color is photo blue.



LW380 - INSTRUMENT DISSECTING TRAY material provides a highly stable work surface. Tray creased toward center drain with optional hose attachment to route flow. Custom heights available.

Pictured accessories may differ depending on your unit and other optional accessories. Not all accessories available for all models. Please review the model's standard features to ensure accuracy of specifications.





26 (626) 334-1471

411 North Aerojet Avenue Azusa, CA 91702 www.mortechmfg.com

PEDESTAL AUTOPSY TABLES